

Notified Body No. 2812

Certificate of Constancy of Performance

2812-CPR- MA7793

In compliance with *Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011* (the Construction Products Regulation or CPR), this certificate applies to the construction product:

Kirncroft Security Doors

Product External steel doorsets covered by EN 14351-1

Intended Use Fire compartmentation and/or escape routes

Essential characteristics	Performance	Harmonised technical specification
Resistance to Fire ¹	EI ₂ 15 / EI ₂ 20 / E90 / EW90	EN 16034: 2014
Smoke control (only for applications where limitation of smoke spread is required)	NPD	
Ability to release	NPD	
Self-Closing (only for self closing fire resistance and/or smoke control doorsets and/or openable windows) ²	C	
Durability of ability to release	NPD	
Durability of self-closing	NPD	

The following documentation has been used in support of the essential characteristics performance stated above:

1. Classification referenced WF Report No. 525676 Issue 2. (EI₂15 classification relates to WF Report No. 522292 and EI₂20 relates to WF Report No. 516397)
2. Test referenced WF Report No. 516397, WF Report No. 522292 and Classification referenced WF Report No. 525676 Issue 2.

Notified Body No. 2812

Certificate of Constancy of Performance

2812-CPR- MA7793

Placed on the Market under the Name of:

KIRNCROFT ENGINEERING LTD

Wadworth Hill

Burstwick

Hull

HU12 9EY

United Kingdom

and produced in the manufacturing plant:

E014070-1

This is coded format, and the information is held by the Approved Body.

This certificate attests that all provisions concerning the Assessment and Verification of Constancy of Performance described in Annex ZA of the standard(s):

EN 16034: 2014

Under System 1 for the performance set out in this certificate are applied and that the Factory Production Control conducted by the manufacturer is assessed to ensure the constancy of performance of the construction product.

This certificate was first issued on **16/12/2022** and reissued on **09/04/2026** and will remain valid as long as neither the harmonised standard, the Construction Product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, or unless suspended or withdrawn by the Notified Product Certification Body.

Valid to: **15/12/2028**

ERO Project Reference: **ERO 034621 P3137**



Pascal Coget
European Certification –General Manager

CSF408-NL 8.0